

SUDONG

BRUSHLESS SCREWDRIVER with 2 years warranty

0.01Nm~15Nm



SUDONG

www.sudong.eu

English version

● SD-10.CN

● SD-100.CN



● SD-10(Intelligent type)

● SD-100(Intelligent type)



Features

- Can be connected to the computer with data protection function that the data can be recorded and managed.
- Wide range of Torque testing, high accuracy, with auto-zero function (one second, two seconds, and three seconds).
- Capable to store/record up to 100 data.
- Automatically recalibrated to zero value when turn on.
- Measurements can be taken in either clockwise or counterclockwise direction.
- Peak keeping function for comparison.
- Automatic shutdown for 10minutes without operation.

Features

- LCD digital display is used to test value, easier to interpret with no errors.
- Torsion testing accuracy up to $\pm 0.5\%$.
- The maximum torque, the minimum torque and the average torque can be confirmed by Ave measurement function.
- Peak keeping function for comparison.
- Unit change-over switch can choose to use the unit Kgf.cm / Nm.
- Measuring curve drawn or data printing by device with a set of numerical output terminal
- Light, compact and operating on a rechargeable battery, it is convenient for carrying around.
- Equipped with a set of numerical output and print output terminals. It can be used to save the aggregation and to analyze each data test.
- Two-stage unit selector switch Kgf.cm / N.m.

Technical parameters

MODEL		SD-10	SD-100	SD-10.CN	SD-100.CN
Measuring range	Kgf.cm	0.15-10.0	1.5-100	0.15-10.0	1.5-100
	Lbf.in	0.13-8.8	1.32-88.04	0.13-8.8	1.32-88.04
	N.m	0.015-1.0	0.15-10.0	0.015-1.0	0.15-10.0
Measuring accuracy		$\pm 0.5\%/99$ or less than ± 1 digit			
Measuring mode		PEAK/TEAK/FIRST PEAK			
Power		1.2V NIMH X5			
Charging time		Less than 6 hours			
Battery Life		Automatically switch off when no use for 10 minutes Can be charged about 300 times or more			
Zero adjustment		Auto-zero when power is on			
Auto-zero function		Adjust by setting time (1s, 2s, 3s)			
Weight		1.6			
Dimension (mm)		230X124X65			
Remarks		Continuous checking semi-automatic electric and pneumatic tools do not test. Can not test more than the maximum torque range			
Exclusive charger	Input	AC 100V-240V 50/60Hz			
	Output	DC 7.3V-8V 0.5A			

Accessories



SUDONG



SUDONG

Industrial Electrical Screwdrivers and accessories



+36-30/381-1185



RÉVÉSZ
www.reveszbt.hu

**DISTRIBUTION
and SERVICE:**



Révész Industrial and Trading Ltd.
2600 Vác, Balassagyarmati út 42.
Tel./fax: 27-305-737